

PAPER • OPEN ACCESS

Study of Nanoparticle Distribution in Water Treated with Combined Filtration-Inductively Coupled Plasma System

To cite this article: Y Trianda *et al* 2019 *IOP Conf. Ser.: Mater. Sci. Eng.* **543** 012093

View the [article online](#) for updates and enhancements.



YAYASAN PENDIDIKAN BUNG HATTA

UNIVERSITAS BUNG HATTA

SURAT TUGAS

No. 8292a /SK-2/KP/X-2018

TENTANG PENUNJUKAN PANITIA PELAKSANA MUNAS APTEKIM ke-5, ISIChem dan SNTKI UNIVERSITAS BUNG HATTA TAHUN 2018

Dalam rangka Pelaksanaan Munas APTEKIM ke-5, ISIChem dan SNTKI Kerjasama Departemen Teknik Kimia ITS dan Teknik Kimia Universitas Bung Hatta, maka Rektor membentuk Tim/Satuan Tugas dengan susunan sebagai berikut:

Penanggungjawab	: Juwari, ST., M. Eng., Ph.D. (Ketua APTEKIM Indonesia)
Organizing Committee Ketua	: Hakun Wirawasista Aparamarta, ST., MMT., Ph.D. (ITS)
Wakil	: Setiyo Gunawan, ST., Ph.D (ITS) Dr. Eng. Reni Desmiarti, ST., MT. (UBH)
Bendahara	: Dr. Yeni Rahmawati, ST., MT (ITS) Sudarmi, SE (ITS) Dra. Elly Desni Rahman, M.Si. (UBH)
Kesekretarian	: Dr. Eva Oktavia Ningrum, ST., M.Sc. (ITS) Annas Wiguno, ST., MT. (ITS) Orchidea Rachmaniah, ST., MT. (ITS) Ellyta Sari, ST., MT. (UBH)
Acara	: Prida Novarita Trisanti, ST., MT. (ITS) Rizky Tetrisyanda, ST., MT. (ITS) Dr. Temmy Thamrin, M. Hum (UBH) Ir. Eddy Soesilo, M.Eng (UBH) Rio Rinaldi, M.Pd. (UBH)
Sponsor/ Pendanaan	: Ir. Nuniek Hendrianie, MT. (ITS) Ni Made Intan Putri Suari, ST., MT. (ITS) Dr. Mulyazmi, ST., MT. (UBH) Dr. Firdaus, ST., MT. (UBH)
Prosiding dan Poster	: Dr. Widiyastuti, ST., MT. (ITS) Dr. Kusdianto, ST., M. Eng. Sc. (ITS) Dr. Eng. R. Darmawan, ST., MT (ITS) Siti Nurkhadimah, ST., M.S., Ph.D. (ITS) Donny Satria Bhuana, ST., M.Eng. (ITS) Dr. Maria Ulfah, ST., MT. (UBH)

Kampus I : Jl. Sumatera Ulak Karang Padang 25133 Telp. 0751-7051678 / 7052096 Fax. 7055475

Kampus II : Jl. Bagindo Aziz Chan, By Pass Air Pacah, Padang 25176 Telp. 0751-463250

Kampus III : Jl. gajah Mada No. 19 Olo Nanggalo Padang, 25143 Telp. 0751-7054257 Fax. 7051341

E-mail : sekretariat.rektor@bunghatta.ac.id, rektorat@bunghatta.ac.id,

humas@bunghatta.ac.id, pascasarjana@bunghatta.ac.id Website : www.bunghatta.ac.id

Sie Konsumsi : Hikmatun Nimah, ST., MSc., Ph.D. (ITS)
Dra. Munas Martynis, MSi. (UBH)
Dr. Silvi Oktavia, ST., MT. (UBH)

Perlengkapan dan Akomodasi : Surodjo, SH. (ITS)
Ir. Elmi Sundari, MT. (UBH)
Dra. Erti Praputri, MSi. (UBH)
Edwina Zainal, ST., M. Eng., Ph.D. (UBH)
Masrizal (UBH)

Diharapkan kepada Tim untuk dapat melaksanakan tugas dengan sebaik-baiknya dan penuh rasa tanggungjawab.

Demikianlah surat tugas ini dikeluarkan untuk dapat dilaksanakan dengan sebaik-baiknya oleh yang bersangkutan dan dimaklumi bagi semua pihak yang berkepentingan.

Dikeluarkan di : Padang
pada tanggal : 17 Oktober 2018
Rektor,



Prof. Dr. Azwar Ananda, M.A.

NOTICE: We will be performing vital maintenance work on 5th April between 10:00am and 12:00pm (UK time) that may affect users visiting the site using their university or institutional single sign-on credentials. Please accept our apologies for any inconvenience this may cause during this time.

Table of contents

Volume 543

June 2019

◀ Previous issue Next issue ▶

**The 1st International Symposium of Indonesian Chemical Engineering (ISICChem) 2018 4–6
October 2018, West Sumatera, Indonesia**

Open all abstracts

Preface

OPEN ACCESS 011001

The 1st International Symposium of Indonesian Chemical Engineering (ISICChem) 2018

+ Open abstract  View article  PDF

OPEN ACCESS 011002

Peer review statement

+ Open abstract  View article  PDF

Papers

Biochemical technology

OPEN ACCESS 012001

Utilization of Cocopeat And Goat of Dirt In Marking of Solid Organic Fertilizer To Quality Macro Nutrient (NPK)

E Kurniawan, Ishak and Suryani

+ Open abstract  View article  PDF

OPEN ACCESS 012002

Single cell protein production by a local *Aspergillus niger* in solid state fermentation using rice straw pulp as carbon source: effects of fermentation variables

S D Said, M Zaki, T M Asnawi and E Novita

+ Open abstract  View article  PDF

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).

OPEN ACCESS



Production of Reducing Sugar from Coffee Pulp Waste Using Mixture of Microorganisms, Enzymes, and Surfactants 012003

T Widjaja, N Hendrianie, E O Ningrum, W H Erliana and T Iswanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012004

Evaluation of Glutathione Production Method using *Saccharomyces cerevisiae*

MTAP Kresnowati, NA Ikhsan, RS Nursa'adah, NN Santoso and YW Susanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012005

Utilization of Molasses to Produce Lactic Acid by Using *Lactobacillus Delbrueckii* and *Lactobacillus Plantarum*

S Nurkhamidah, A Altway, Susianto, Y Rahmawati, F Taufany, N Hendrianie, H Ni'mah, I Gunardi, S Zulaikah, E O Ningrum *et al*

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012006

An experimental study on thermal catalytic decomposition of inulin to 5 hydroxymethylfurfural and levulinic acid and the effect of C6 on furfural during the decomposition process

B A Fachri

[+ Open abstract](#) [View article](#) [PDF](#)

Catalyst Technology and Chemical Reaction

OPEN ACCESS 012007

Biodiesel Production Through Waste Cooking Oil (WCO) Esterification Using Sulfated Alumina as Catalyst

M Ulfah, Firdaus, S Octavia, H Suherman and Subagjo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012008

Kinetic modelling of esterification of glycerol with acetic acid catalyzed by lewateite

L Setyaningsih, T Mutiara, A Chafidz, A Zulkania, M A Andrianto and N L Farikha

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012009

A Kinetics study of 2-ethyl-2-hexenal hydrogenation to 2-ethyl-hexanol over Nickel based catalyst

S Virgana, Subagjo and M L Gunawan

[+ Open abstract](#) [View article](#) [PDF](#)
This site uses cookies. By continuing to use this site, you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



OPEN ACCESS

012010

Mathematical modelling of paddy drying using fluidized bed dryer

S Suherman and E E Susanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012011

Refining and Physicochemical Test of Tengawang oil *Shorea stenoptera* Origin Sintang District West Kalimantan

N Hidayat, M A Darmawan, N Intan and M Gozan

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012012

Processing of Pharmaceuticals for Pulmonary Delivery by Supercritical Technology

F Kurniawansyah, R Mammucari and N R Foster

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012013

Modification of Sago Starch for Edible Coating

D Sondari

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012014

The Effects of Vacuum Evaporation on Amino Acid Contents in Pureed *Aloe Chinensis* Baker Gel using HPLC

T Y Hendrawati, R A Nugrahani, A I Ramadhan, S Susanty and A Siswahyu

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012015

The utilization of gadung (*dioscorea hispida* dennst) starch for edible coating making and its tomato packaging

P N Alam, Mukhlishien, H Husin, T M Asnawi, Santia and A Yustira

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012016

Innovation of Cooking Juice in Process Production of Red-Cane Sugar in Lawang Village of Agam District

Firdaus, E Praputri, E Sundari and M Ulfah

[+ Open abstract](#) [View article](#) [PDF](#)

Calcium Soap from Palm Fatty Acid Distillate for Ruminant Feed: The Influence of Initial Mixing Temperature

L A Handoyo, A Indarto, D Shofinita, M R Saadi, D Yulistia and F I Hasyati

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012018

Effect of Extraction Time on *Averrhoa bilimbi* Leaf Ethanolic Extracts Using Soxhlet Apparatus

H Niawanti, Y S Lewar and N N Octavia

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012019

Minerals Improvement of Soy Milk by Addition of Drumstick Tree (*Moringa oleifera*) Extract

O Rachmaniah, S Kusumahati, E O Ningrum, F Kurniawansyah, S Zulaikah, H Ni'mah, S Soeprapto and S Soeprijanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012020

Defatted Rice Bran a Byproduct of Oil Extraction with Ultrasonic Method for Protein Supplement in Cassava-Flour Biscuits

R A Nugrahani, N H Fithriyah and Nelfiyanti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012021

Enhanced Extraction of Phenolic Compounds from *Moringa Oleifera* Leaves Using Subcritical Water Ethanol Mixture

S Zullaikah, R Y Naulina, P Meinawati, K Fauziyah, M Rachimoallah, O Rachmaniah, S Nurkhamidah, N M I P Suari and E N Prasetyo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012022

The Influence of Strong Reduced Water and Fresh Coconut Oil in Viscosity of Liquid Hand Soap

E Sulistiawati, E Astuti and I Santosa

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012023

Heat Transfer Evaluation on Microwave Sterilization: Case Study of Oil Palm Fruit

M Sarah

[+ Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



OPEN ACCESS

012024

Iodization of Local Salt Based on Purification Technique using Saturated Brine Washing Method

T Widjaja, A Altway, I Gunardi, L Pudjiastuti, D F Nury, A F Nabila, N Prasetyawati, M Saifulloh and Noviyanto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012025

Thermal stability and reusability of home-made co-immobilized lipase from *Mucor miehei* in polyurethane foam for the production of bio-flavor

D Moentamaria, M Muharja, T Widjaja and A Widjaja

[+ Open abstract](#) [View article](#) [PDF](#)

Material and nano technology

OPEN ACCESS

012026

Synthesis of nickel – hydroxyapatite by electrochemical method

A Nur, A Jumari, A W Budiman, A H Wicaksono, A R Nurohmah, N Nazriati and F Fajaroh

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012027

The Effect of Total Sulfur Content and Total Acid Number (TAN) on Small Scale Oil Refinery

H Devianto, M Eviani, R A Rahardi and F Yusupandi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012028

Comparative Characterization of Chitosan/Gelatin/Geothermal Silica Biocomposites in Two-Dimensional Film and Three-Dimensional Scaffold Forms

Y Kusumastuti, F Larasati, D R Gunawan, M Najmina, N R E Putri, H T B M Petrus and M Kobayashi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012029

CNT Synthesis from POME by Pyrolysis using Tubular Furnace

I Nurdin, H Devianto, P Widiatmoko, T Prakoso, N F Nugraha and S Srimurti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012030

Formation of Carbon Fibres From Polymer Poly(vinyl alcohol)/Acetylene Black using Electrospinning Method

R A Yuniar, W Widiyastuti, H Setyawan, H Purwaningsih, S Machmudah and D Anggoro

[+ Open abstract](#) [View article](#) [PDF](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



OPEN ACCESS 012031

Nano Carbon Produced by Advanced Mild Hydrothermal Process of Oil Palm Biomass for Supercapacitor Material

T D Larasati, T Prakoso, J Rizkiana, H Devianto, P Widiatmoko and I Nurdin

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012032

Increasing yield of graphene synthesis from oil palm empty fruit bunch via two-stages pyrolysis

P Widiatmoko, I F Sukmana, I Nurdin, T Prakoso and H Devianto

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012033

Study on corrosion behavior of storage tanks filled with biodiesel and the blends

L N Komariah, T K Dewi and C Ramayanti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012034

Characterization of Zeolite A from Coal Fly Ash Via Fusion-Hydrothermal Synthesis Method

W Wulandari, T Paramitha, J Rizkiana and D Sasongko

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012035

Natural Rubber Powder Production from Latex

A Z Abidin, N R Winartha, I Rahardi and D A Trirahayu

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012036

Melt Rheological Properties of Polypropylene/Clay Nanocomposites Prepared from Masterbatch: Effect of Nanoclay Loadings and Reprocessing

A. Chafidz, S. Ma'mun, D. S. Fardhyanti, I. Kustiningsih and A. Hidayat


[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012037

The Adsorption Behaviors of Thermosensitive poly(DMAAPS) Grafted Onto EVA Porous Support

E O Ningrum

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012038
This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy. 

Melt Rheological Behavior of High Density Polyethylene/Poly(Vinyl Alcohol) Fiber Composites Prepared via Melt Compounding Method

A. Chafidz, L. Setyaningsih, N. Indah, W. D. P. Rengga, Haryanto and J. Suhartono

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012039

Fabrication of porous hydroxyapatite/chitosan composite bodies through dip-coating method

A Fadli, E Saputra, Komalasari and Arosyidin

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012040

The utilization of bagasse fly ash for mesoporous silica synthesis

C W Purnomo, S K Wirawan and H Hinode

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012041

Mixing Solvent's Effect to the Characterization and Performance Cellulose Acetate/Polyethylene Glycol Membrane

S Nurkhamidah, Y Rahmawati, F Taufany, Y E Fahrizal and I H Ramadhan

[+ Open abstract](#) [View article](#) [PDF](#)

Chemical Engineering Management

OPEN ACCESS

012042

Optimization of LNG Logistics System to Meet Gas Supply at Gresik LNG Receiving Terminal

M Raharjo and M Sudibandriyo

[+ Open abstract](#) [View article](#) [PDF](#)

Process System Engineering

OPEN ACCESS

012043

Technology selection of LNG receiving terminals in Gresik, East Java

R Wicaksono and M Sudibandriyo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012044

Alternative of LNG cold exergy utilization for generating electrical energy at Gresik LNG receiving terminal

S B A Putra and M Sudibandriyo

[+ Open abstract](#) [View article](#) [PDF](#)



OPEN ACCESS 012045

Cooking ability of *Manihot esculenta crantz* as new pulp raw material with *Eucalyptus* and *Acacia mangium* wood comparison using kraft pulping method

B Irawan, V Ardina, D H Prajitno and A Roesyadi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012046

Hydrodynamic Analysis of Hydrolysis of the Rice Husk Cellulose by Using CFD Modeling

N Novia, L Cundari, A M Jannah, M K Haphsari and M Zulfani

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012047

Thermal Pyrolysis of Polypropylene Plastic Waste into Liquid Fuel: Reactor Performance Evaluation

M Martynis, Mulyazmi, E Winanda and A N Harahap

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012048

Testing Instrument For Water Quality and Drinking Water Using Oxidation and Electromagnetic Methods (Case Study: Local Water Company at Bangka Barat)

V Luvita, N T E Darmayanti, G Zaid and D Setyarini

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012049

Process Dynamic and Control for Nonconventional Column/Rectifier Configuration with Aspen Hysys v10.0

R A Hikmadiyar, J P Sutikno, R Handogo, Z Azizah and A Hisyam

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012050

Heavy Fraction Separation From Used Lube Oil Using Thin Film Evaporator

A J Rifliansah, R H M Utomo, J P Sutikno and R Handogo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012051

Water and power consumption reduction by gas conditioning tower system modification in cement industry

C W Purnomo, R B Cahyono, A Setiawan, N Amin and Triyono

[+ Open abstract](#) [View article](#) [PDF](#)



OPEN ACCESS

012052

Evaluation of COD Removal using Dielectric Barrier Discharge to Produce Biogas from POME

A. Hazmi, P. Emeraldi, M.I. Hamid M.I and R. Desmiarti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012053

Biobutanol Production from Bagasse Using Ammonia Pre-treatment and Acid Hydrolysis Method

A M Jannah, D U Amalia and N S Hana

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012054

Behavior of *Nannochloropsis oculata* In Indoor Cultivation: The Effects of Flue Gas Exposure And Illumination Period on The Growth And Lipid Content

Margono

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012055

Hydrocarbon Biofuel Production by Hydrocracking Process with Nickel-Iron Supported on HZSM-5 Catalyst

M Al-Muttaqii, F Kurniawansyah, D H Prajitno and A Roesyadi

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012056

Production of Bioethanol from *Colocasia esculenta (L.) Schott* (Talas Liar) by Hydrolysis Process

E Praputri and E Sundari

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012057

The Effects of Diethyl Carbonate in Light Naphtha Blending to Utilize New Energy Resource

R P Anugraha, R Tetrisyanda, A Altway and G Wibawa

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012058

Production of Diethyl Ether Over Cr-Co/ γ -Al₂O₃ Catalyst

M J Marbun, F Kurniawansyah, D H Prajitno and A Roesyadi

[+ Open abstract](#) [View article](#) [PDF](#)
This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

-
- OPEN ACCESS** 012059
A Sustainability assessment of biogas plant based on fruit waste in Indonesia: case study of Biogas Plant Gamping, Yogyakarta
F Marendra, A Prasetya, R B Cahyono and T Ariyanto
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012060
Techno-economic analysis of Dimethyl Ether production using Oil Palm Empty Fruit Bunches as feedstock – a case study for Riau
H S Parbowo, A Ardy and H Susanto
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012061
Hydrothermal treatment, pelletization and characterization of oil palm empty fruit bunches as solid fuel
Y Ahda, T Prakoso, C B Rasrendra and H Susanto
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012062
A Superstructure Based Enviro-Economic Optimization for Production Strategy of Oil Palm Derivatives
S A Taqwa and W W Purwanto
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012063
Preparation of *Catalyst Cu-ZnO-MgO-Al₂O₃* for Direct Synthesis of DME
T Swastika, A Ardy and H Susanto
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012064
Activation of Coconut Shell - Randu Wood Biochar and Its Use as Heterogeneous Catalyst Support for Biodiesel Production
Y S Pradana, N Rochim, H S Mukaffa, H B Satriawan, A Hidayat and A Budiman
[+](#) Open abstract [View article](#) [PDF](#)
-
- OPEN ACCESS** 012065
Microwave Assisted Hydrolysis of Oil Palm Empty Fruit Bunch: Effect of Wave Distance Sources, Power, Time and Acid Concentration
I Madinah and M Sarah
[+](#) Open abstract [View article](#) [PDF](#)
-

Effect of Biomass Composition and Co-pyrolysis Retention Time on Reduction of Non-neutral CO₂ Emission from Combustion of Hybrid Coal in Power Plant

S Handoko, W Wulandari, J Rizkiana, M A Ridha, H A Prasetyo and D Sasongko

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012067

Pretreatment of Coal by Acid Leaching As Feedstock Preparation For Co-Gasification With Biomass

J Rizkiana, H N Firdausi, R Pranata, G A N Aulia, S F Maulana, W Wulandari and D Sasongko

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012068

An improvement study of biodiesel production from rice bran via non-catalytic in-situ transesterification using a subcritical water-methanol mixture

M Yasmin, F D Alfaty, H S Pradipta, M Rachimoellah and S Zullaikah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012069

Production and Characterization of The Basic Soaps Obtained by Double Decomposition and Direct Process of Palm Stearin Oils

G F Neonufa, M Pratiwi, R Purwadi, T Prakoso, T H Soerawidjaja and L Elizabeth

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012070

Development of integrated renewable energy system model for rural productivity zone in East Nusa Tenggara

N P Salsabila, W W Purwanto and M R Fuad

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012071

Utilization of Emission Carbon Dioxide Gas into High Economic Value Chemicals: Diethyl Carbonate

D Aslya, S Febriani, F Adian, R Tetrisyanda, A Wiguno, S Gunawan, F Kurniawansyah and G Wibawa

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012072

Biodiesel production from *Calophyllum inophyllum* L oil using Microwave with Calcium Carbonate catalyst

L Qadariyah, A Ansori, S A Wibowo, R S C Muchammad, D S Bhuna and M Mahfud

[+ Open abstract](#) [View article](#) [PDF](#)

Biodiesel Production from Microalgae with Trans-esterification Method Using Microwave

L Qadariyah, F Mujaddid, D S Bhuana and M Mahfud

[+ Open abstract](#) [View article](#) [PDF](#)

Separation and purification technology

OPEN ACCESS 012074

Extraction of Natural Dye from *Ketapang* Leaf (*Terminalia catappa*) for Coloring Textile Materials

RM Faisal and A Chafidz

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012075

Production of Liquid Smoke From the Process of Carbonization of Durian Skin Biomass, Coconut Shell and Palm Shell for Preservation of Tilapia Fish

E Sari, U Khatab, Burmawi, E D Rahman, F Afriza, A Maulidita and V Desti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012076

Fabrication of Interlayer-free P123 Caronised Template Silica Membranes for Water Desalination: Conventional Versus Rapid Thermal Processing (CTP vs RTP) Techniques

M Elma, H Setyawan, A Rahma, A E Pratiwi and E L A Rampun

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012077

CO₂ Freezing Area Concept for Improved Cryogenic Distillation of Natural Gas

T P Adhi, E P Putra and R B Haristyawan

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012078

Wet Extraction of γ -Oryzanol From Rice Bran

S Zullaikah, Y A Pujiastuti, G Prihandini and M Rachimoellah

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012079

Microfiltration of Oily Waste Water: A Study of Flux Decline and Feed Types

P D Sutrisna, J Candrawan and W W Tangguh

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS 012080

Effect of Activated Alkanolamine for CO₂ Absorption using Hollow Fiber Membrane

Contacto

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012081

Lignocellulosic Properties of Coffee Pulp Waste After Alkaline Hydrogen Peroxide Treatment

L Pudjiastuti, T Iswanto, A Altway, E O Ningrum and T Widjaja

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012082

The Extraction of Natural Dyes from Henna Leaves (*Lawsonia Inermis* L.) by Ultrasound-assisted Method

L Qadariyah, N Azizah, A Q Syafa'atullah, D S Bhuana and M Mahfud

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012083

Comparison of Performance Characteristic Prediction of Sieve Tray with and without Down comer

S Gondosurohardjo, A Altway, F Taufany and S Nurkhamidah

[+ Open abstract](#) [View article](#) [PDF](#)

Thermodynamics and supercritical technology

OPEN ACCESS

012084

Hydrate formation calculation in the natural gas purification unit

J A Prajaka, J Himawan, S A Affandy, J P Sutikno and R Handogo

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012085

Ultrasound Pre-treatment for Intensification of Hydrothermal Process in Reducing Sugar Production from Cassava Starch

Sumarno, A Bramantyo, P Febriyati, I Gunardi and P N Trisanti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012086

Ternary liquid-liquid equilibria for β -caryophyllene(1) + 1-propanol(2) + water(3) system at temperatures 303.15, 313.15, and 323.15 K

K Kuswandi, G Wibawa, I Hidayatulloh, C Mahardhikawati and A D Pratiwi

[+ Open abstract](#) [View article](#) [PDF](#)

Water and Waste Water Treatment

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more,

[see our Privacy and Cookies policy.](#)

012087



Preparation of Activated Carbon from Mangrove Waste by KOH Chemical Activation

Paryanto, W A Wibowo, D Hantoko and M E Saputro

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012088

Adsorption Capacity and Isotherm of Methylene Blue Removal in Aqueous Solution onto Regenerated Activated Carbon

L Cundari, A N Utari and M Septikarini

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012089

Influence of *Shewanella oneidensis* MR-1 Bacterial Metabolism Process On Waste Treatment Of Cr And Mn Metals In Reactor Microbial Fuel Cell (MFC)

S R Juliastuti, R Darmawan, N Hendrianie, G A Prakoso and T A Bachtiar

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012090

Utilization of plastic waste with mix plastic softening agregate method as performance of stability and quality asphalt concrete

N Hendrianie, S R Juliastuti, R Darmawan, Widjonarko, F I N Aini and M L Hakim

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012091

The Role of Calcium Compound on Fluorine Leaching Concentration

F F Hanum, E R Desfitri, Y Hayakawa and S Kambara

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012092

Calcium Performance in Paper Sludge Ash as Suppressing Material

E R Desfitri, F F Hanum, Y Hayakawa and S Kambara

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012093

Study of Nanoparticle Distribution in Water Treated with Combined Filtration-Inductively Coupled Plasma System

Y Trianda, R Desmiarti, A Hazmi, M Martynis and F Li

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012094

Alkali modified jackfruit wood sawdust as bio adsorbent for removal of Pb(II) ions from wastewaters

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).

T Mutiara, L Setyaningsih, A Chandz, B S Panandita and R Raharjo



[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012095

Performance Evaluation of Coal Fly Ash Based Zeolite A for Heavy Metal Ions Adsorption of Wastewater

T Paramitha, W Wulandari, J Rizkiana and D Sasongko

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012096

Activated Carbons from Palm Kernels Shells Prepared by Physical and Chemical Activation for Copper Removal from Aqueous Solution

T M Asnawi, H Husin, A Adisalamun, W Rinaldi, M Zaki and F Hasfita

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012097

Biogas Production from Wastes of Tofu Industry with Effects of Water Hyacinth and Cow Manure Additions

S Sa'diah and M D Putra

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012098

Treatment of Oily Wastewaters from Tanjung Perak Port by Electrocoagulation Using Aluminum Electrodes

S Soeprijanto, D F Nury and L Pudjiastuti

[+ Open abstract](#) [View article](#) [PDF](#)

OPEN ACCESS

012099

Liquid Organic Fertilizer from Waste of Coconut Porridge Manufacturer and Molasses using Various Microorganisms

R Darmawan, F Hidayat, S R Juliastuti, N Hendrianie, S Gunawan and H W Aparamarta

[+ Open abstract](#) [View article](#) [PDF](#)

JOURNAL LINKS

[Journal home](#)

[Journal scope](#)

[Information for organizers](#)

[Information for authors](#)

[Contact us](#)

[Reprint services from Curran Associates](#)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our [Privacy and Cookies policy](#).



NOTICE: We will be performing vital maintenance work on 5th April between 10:00am and 12:00pm (UK time) that may affect users visiting the site using their university or institutional single sign-on credentials. Please accept our apologies for any inconvenience this may cause during this time.

PAPER • OPEN ACCESS

Study of Nanoparticle Distribution in Water Treated with Combined Filtration-Inductively Coupled Plasma System

Y Trianda¹, R Desmiarti¹, A Hazmi², M Martynis¹ and F Li³

Published under licence by IOP Publishing Ltd

IOP Conference Series: Materials Science and Engineering, Volume 543, The 1st International Symposium of Indonesian Chemical Engineering (ISICChem) 2018 4–6 October 2018, West Sumatera, Indonesia

Citation Y Trianda *et al* 2019 *IOP Conf. Ser.: Mater. Sci. Eng.* **543** 012093

DOI 10.1088/1757-899X/543/1/012093

renidesmiarti@gmail.com

renitk@bunghatta.ac.id

¹ Chemical Engineering Department, Universitas Bung Hatta, 25147, Padang, Indonesia

² Electrical Engineering Department, Andalas University, 25166, Padang, Indonesia

³ River Basin Research Center, Gifu University, 1-1 Yanagido, Gifu 501-1193, Japan

Buy this article in print

 Journal RSS

Sign up for new issue notifications

Create citation alert

PDF

Help

Abstract

Nanoparticles represent a specific type of organic or inorganic matter with at least one dimension less than 100 nm and possess unique physical and chemical properties. The presence of nanoparticles in drinking water may pose a direct human health threat or an indirect risk through ingestion. Thus, the removal of nanoparticles from drinking water is needed. This research was carried out to study the distribution of nanoparticles in water treated with a combined filtration-

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



inductively coupled plasma system by continuous processing. The flow rate was set at 100 and 200 mL/minute. The results showed that after 180 minutes of treatment, the amount and volume of nanoparticles in the treated water produced were different from those contained in raw water. The nanoparticles were within the diameter ranges from 2.70 to 6.50 nm and 0.62 to 712 nm for flow rate at 100 and 150 mL/minute, respectively. The particles within these diameter ranges belong to the group of proteins, small molecules and atoms. The measured zeta potential of the treated water had also decreased, indicating that the stability of the nanoparticles was reduced and removal by the combined filtration-inductively coupled plasma system had occurred. Further research is required to find the optimum flow rate and determine the exact components of the groups of nanoparticles.

Export citation and abstract

BibTeX

RIS

◀ **Previous** article in issue

Next article in issue ▶



Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.



Learn more about ECS Meetings at
<http://www.electrochem.org/upcoming->

PDF

You may also like

Help

JOURNAL ARTICLES

Nano-Scale Lithium Titanium Oxide As Anode Material for Nanoelectrofuel Flow Batteries

Characterization of Surface Adsorption of Engineered Nanoparticles By Collision Electrochemistry

Electrodeposition of Nickel/Titanium Carbide Nanocomposite Coatings

Evaluation of Nanoparticles Emission in Simulation of Experimental Model of Technological Process of Pig Lead Smelting

3rd International Youth Conference "Interdisciplinary Problems of Nanotechnology, Biomedicine and Nanotoxicology" (Nanobiotech 2015)

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.



Study of Nanoparticle Distribution in Water Treated with Combined Filtration-Inductively Coupled Plasma System

Y Trianda¹, R Desmiarti^{1,*}, A Hazmi², M Martynis¹, and F Li³

¹Chemical Engineering Department, Universitas Bung Hatta, 25147, Padang, Indonesia

²Electrical Engineering Department, Andalas University, 25166, Padang, Indonesia

³River Basin Research Center, Gifu University, 1-1 Yanagido, Gifu 501-1193, Japan

Email : renidesmiarti@gmail.com; renitk@bunghatta.ac.id

Abstract. Nanoparticles represent a specific type of organic or inorganic matter with at least one dimension less than 100 nm and possess unique physical and chemical properties. The presence of nanoparticles in drinking water may pose a direct human health threat or an indirect risk through ingestion. Thus, the removal of nanoparticles from drinking water is needed. This research was carried out to study the distribution of nanoparticles in water treated with a combined filtration-inductively coupled plasma system by continuous processing. The flow rate was set at 100 and 200 mL/minute. The results showed that after 180 minutes of treatment, the amount and volume of nanoparticles in the treated water produced were different from those contained in raw water. The nanoparticles were within the diameter ranges from 2.70 to 6.50 nm and 0.62 to 712 nm for flow rate at 100 and 150 mL/minute, respectively. The particles within these diameter ranges belong to the group of proteins, small molecules and atoms. The measured zeta potential of the treated water had also decreased, indicating that the stability of the nanoparticles was reduced and removal by the combined filtration-inductively coupled plasma system had occurred. Further research is required to find the optimum flow rate and determine the exact components of the groups of nanoparticles.

1. Introduction

The demand for safe drinking water increases day by day due to the rapid growth of the world population and the insufficient capabilities of conventional treatment methods. Various conventional and contemporary purification techniques are available, such as basic filtration and adsorption as well as advanced technologies, such as membrane filtration and advanced oxidation processes (AOPs). In general, the aim of drinking water treatment is to provide potable water that is free from toxic matters (organic, inorganic and biological) [1]. Among the advanced technologies, AOPs are recognized as highly effective in producing safe drinking water that is free of organics, inorganics and microbes [2].

AOPs are one of the advanced drinking water treatment technologies that involve the production of hydroxyl radicals (OH•) in sufficient quantities to induce water purification at standard temperature and pressure [3]. Hydroxyl radicals are extraordinarily reactive species with an oxidation potential of 2.80 V, which is higher than that of ozone of 2.07 V [4]. This causes the hydroxyl radicals to easily react with and decompose toxins in water by a series of chemical reactions, which ultimately leads to the conversion of organic compounds in solution into carbon dioxide and water along with mineral acids and salts [5]. Thus, AOPs are considered an environmental-friendly drinking water technology.

The aforesaid physical processes leading to hydroxyl radical formation in water occur when plasma is contacted with water. Plasma is generated by introducing electrical energy into a reaction zone, which



leads to various physical and chemical effects, such as the formation of oxidizing species, including radicals ($H\bullet$, $O\bullet$, and $OH\bullet$, etc.) and molecules (H_2O_2 , O_3 , etc.), shockwaves, ultraviolet light, and electrohydraulic cavitation [6]. The formed reactive species can drive decomposition and ultimately destruction of organic contaminants in solution, including microorganisms.

Numerous reports have been published about plasma application in water purification. Sun et al. [7] have reported the using of a pulsed-streamer corona discharge for organic compound removal with 83% of the total organic carbon removed without oxygen bubbling and 86% removed with oxygen bubbling. Desmiarti et al. [8] reported that the removal efficiencies of fecal coliforms and total coliforms by radio frequency plasma treatment were 95% and 93%, respectively. Recent research by Desmiarti et al. [9] showed that the inductively coupled plasma system (ICPS) was able to kill microorganisms in water with removal efficiencies of fecal coliforms and total coliforms at 100% and 74%, respectively. The effect of flow rate on removal of fecal coliforms, total coliforms, other coliforms [10] and Salmonella [11] by means of radio frequency ICPS was also investigated. However, there are very few reports regarding the removal of nanoparticles in drinking water treatment.

Nanoparticles are particles that have at least one dimension at the nanoscale (approximately 1 to 100 nm), a feature that alters their behavior. They are commercially applied in sunscreens, toothpastes, sanitary ware coatings and even food products [12]. Little has been reported regarding the use of engineered nanomaterials for water treatment. Chiavola et al. [13] have reported the application of iron-based nanoparticles as adsorbents for arsenic contamination removal from groundwater. In spite of the benefits of nanomaterials having been widely publicized, their potential health and safety risks pose a concern for drinking water utilities because these systems are designed to deal with microparticles and not with nanoparticles [14]. Consumption of drinking water contain nanoparticles such as normal organic matter and virus caused a direct or indirect risk human health including DNA damage [15].

This research aimed to study the distribution of nanoparticles in water by a combined filtration-inductively coupled plasma system (ICPS). The effect of flow rate was studied and the nanoparticle distribution was considered to study the number and volume distribution. The nanoparticle was measured by Zetasizer Nano. To expect the stability of the nanoparticles in the water, the zeta potential was also investigated.

2. Materials and Methods

2.1. Materials

A water sample was collected from the Kuranji River, a river in Padang City, Indonesia, and used as water source for a drinking water treatment plant. Prior to use, the sample was filtered to remove relatively large organic matters. The initial water properties were analyzed, of which the results are shown in Table 1.

Table 1. Kuranji river water properties

Parameters	Unit	Value
pH		10-10.8
Total dissolved solids (TDS)	mg l ⁻¹	49-65
Dissolved organic carbon (DOC)	mg l ⁻¹	28.75
Fecal coliforms	CFU/100 ml	3,800
Total coliforms	CFU/100 ml	16,400
Average particle size (diameter)	nm	1.12-2.70

2.2. Experiments

The experimental set-up of the combined filtration-ICPS was adapted from our previous study [9]. The designed system consisted of a plasma reactor and a plasma generator. The plasma reactor was made of 2 mm thick glass, with a length of 30 cm and a diameter of 1 cm, wrapped in 2 mm copper wire. The plasma generator was equipped with a high-voltage probe (Tektronix P6015A, Tektronix Inc., USA), a current probe (Tektronix P6022, Tektronix Inc., USA). To record the applied voltage and discharged currents, a Picoscope 4424 (Picotech, United Kingdom) with four channels was used. The frequency was set at 1.8-1.9 MHz and concurrently the flow rate was controlled at 100 and 150 ml/minute using a peristaltic pump.

2.3. Analysis

All water samples were filtrated using a 0.2 μm cellulose acetate membrane filter (ADVANTEC Corporation) before being measured to a zeta potential meter (Zetasizer Nano, manufactured by Malvern). The data were recorded as number distribution and volume distribution. The zeta potential and the electrophoretic mobility were also measured to expect the stability of the nanoparticles in the treated water.

3. Results and Discussion

3.1 Nanoparticles size distribution

The nanoparticle size distribution is displayed in Figures 1 and 2. From Figures 1 and 2 it can be seen that after 60 minutes of running process, particles in the ranges of 1.74 to 4.85 nm and 0.71 to 6.5 nm categorized the majority of nanoparticles occupying the volume for flow rates of 100 ml/minute and 150 ml/minute, respectively. After 180 minutes of running process, there was a shift in the size distribution. The average size of the nanoparticles found in the treated water produced at a flow rate of 100 ml/minute was increased, as larger sizes of nanoparticles occupying the treated water were identified. This shows that during the treatment removal of nanoparticles from the water sample occurred, resulting in only larger particles remaining in the treated water. After the treatment, the particle sizes ranged from 2.70 to 6.50 nm. The particles within this diameter range belong to the group of proteins, small molecules and atoms [16].

However, this phenomenon was not found in the treated water produced at a flow rate of 150 ml/minute. After 180 minutes of treatment, nanoparticles with smaller sizes still remained in the treated water, as the particle size ranged from 0.62 to 712 nm. This result indicates that the flow rate is a very important parameter. Further research to investigate the optimum flow rate in the combined filtration-ICPS to increase the removal efficiency with respect to nanoparticles can be conducted.




Figure 1. Number size distribution of nanoparticles.




Figure 2. Volume size distribution of nanoparticles.


The average size distribution of nanoparticles occupying the treated water during the treatment process is shown in Figure 3. It can be seen that at flow rates of 100 ml/minute and 150 ml/minute a trend of gradual decrease of nanoparticles with smaller size was detected. These results suggest that the combined filtration-ICPS seems to be a feasible and efficient prospective method for nanoparticles removal in drinking water treatment plants.

3.2 Zeta potential and electrophoretic mobility

Table 2 summarizes the zeta potential and electrophoretic mobility values obtained for the raw water and the treated water produced with the combined filtration-inductively coupled plasma system. The table also consist of the conductivity of treated water values.

Table 2. Zeta potential and electrophoretic mobility values of raw and treated water produced by combined filtration-inductively coupled plasma system.

Sample	Flow rate (ml/minute)	Time (minutes)	Zeta potential (mV)	Electrophoretic mobility ($\text{m}^2\text{Vs}^{-1} \times 10^{-8}$)	Conductivity (mS cm^{-1})
Raw water			-19.3	-1.5110	0.114
		60	-11.4	-0.8938	0.111
	100	120	-10.6	-0.8274	0.108
Treated water		180	-8.18	-0.6411	0.109
	150	60	-12.4	-0.9743	0.143
		120	-10.3	-0.8055	0.141
180		-18.4	-1.4390	0.144	

**Figure 3.** Average size distribution of nanoparticles in the treated water.

In the results as shown in Figure 3, the values of measured mobility after 60 minutes of running experiment were increased for each flow rate. After 180 minutes of running process, the mobility values became less negative, i.e. the magnitude of mobility decreased. This shows an increase in the average size of the nanoparticles present in the treated water, resulting in obscuration of light transmission. This result supports the previous result, where the average particle size had increased after treatment. Furthermore, the measured zeta potential values were reduced after 180 minutes of running process for both flow rates. Solutions with low zeta potential tend to have poor stability, suggesting that the removal of nanoparticles by the combined filtration- inductively coupled plasma system had occurred.

4. Conclusion

Nanoparticles are particles with at least one dimension at the nanoscale (approximately 1 to 100 nm) and might pose a direct human health threat or an indirect risk when consumed. Thus far, conventional and advanced treatment processes have been designed for dealing with microparticles and not nanoparticles. The combined performance of the filtration-inductively coupled plasma system with respect to nanoparticles were investigated in this study. The effect of flow rate on nanoparticle size distribution were also studied. The results showed that the size distribution shifted after treatment. The average particle sizes ranged from 2.70 to 6.50 nm and 0.62 to 712 nm at a flow rate of 100 ml/minute and 150 ml/minutes, respectively. The measured mobility values became less negative and the zeta potential was decreased after 180 minutes of treatment, indicating that the removal of nanoparticles by

the combined filtration-inductively coupled plasma system had occurred. These results suggest that the combined filtration-inductively coupled plasma system seems to be a feasible and efficient prospective method for nanoparticle removal in drinking water treatment plants. Further research is required to find the optimum flow rate and determine the exact components of the groups of nanoparticles.

References

- [1]. Mishra N S, Reddy R, Kuila A, Rani A, Mukherjee P, Nawaz A, Pichiah S 2017 *Curr World Environ* **12** 470-490
- [2]. Bin A K, Sobera-Madej S 2012 *Ozone:Sci* **34** 136-139
- [3]. Andreozi R, Caprio V, Insola A, Marotta R 1999 *Catal Today* **53** 51-59
- [4]. Kasih T P 2017 *J Ecol Eng* **18** 1-6
- [5]. Foster J E 2017 *Phys Plasmas* **24** 055501
- [6]. Jiang B, Zheng J, Qiu S, Wu M, Zhang Q, Yan Z, Xue Q 2014 *Chem Eng J* **236** 348-368
- [7]. Sun B, Sato M, Clements J S 1999 *J Phys D Appl Phys* **32** 1908-1915
- [8]. Desmiarti R, Hazmi A, Trianda Y, Sari E 2015 *Res J Pharm Biol Chem Sci* **6(1)** 889-897
- [9]. Desmiarti R, Hazmi A, Emeraldi, Martynis M, Trianda Y, Sutopo U M 2018^a *MATEC Web Conf* **156** 1-5
- [10]. Desmiarti R, Hazmi A, Martynis M, Sutopo U. M, Li F 2018^b *ICIMECE2018 AIP Conf Proc* 1931 030012
- [11]. Desmiarti R, Hazmi A, Li F 2018 *J Eng Technol Sci* **49** 737-749
- [12]. Hoet P H M, Brüske-Hohlfeld I, Salata O V 2004 *J Nanobiotechnology* **2** 1-15
- [13]. Chiavola A, D'Amato E, Stoller M, Chianese A, Boni M R 2016 *Chem Eng Trans* **47** 325-330
- [14]. Good K D, Bergman L E, Klara S S, Leitch M E, VanBriesen J M 2016 *J Am Water Works Assoc* **108(1)** E1-E17
- [15]. Singh N, Nelson B C, Scanlan L D, Coskun E, Jaruga P, Doak S H 2017 *Int J Mol Sci* **18** 1-15
- [16]. Erickson H P 2009 *Biol Proced Online* **11** 32-51 E1-E17

Acknowledgments

The Ministry of Research, Technology and Higher Education, Republic of Indonesia supported this work with research contract number: 001/research contract /K10/KM/2018. The authors are also thankful to the Water Quality Laboratory and the River Basin



CERTIFICATE OF APPRECIATION

THIS CERTIFICATE IS PROUDLY PRESENTED TO

Reni Desmiarti

As Presenter

THE 1st INTERNATIONAL SYMPOSIUM OF INDONESIAN CHEMICAL ENGINEERING (ISIChem)

Padang, West Sumatera-Indonesia, October, 4th - 6th, 2018



Hakun Wirawasista Aparamarta, ST., MMT., PhD.
Chairman of ISIChem, SNTKI, MUNAS APTEKIM 2018



Juwari Poerwo Sutikno, ST., M.Eng., PhD.
Chairman of APTEKIM 2015 - 2018